



## Material Safety Data Sheet

Material Name: Elmer's Carpenter's Wood Filler-MAX

MSDS ID: ELM-076

### \*\*\* Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION\*\*\*

**Material Name:** Elmer's Carpenter's Wood Filler-MAX

#### Manufacturer Information

Elmer's Products, Inc.  
460 Polaris Parkway  
Westerville, OH 43082

Emergency Phone Number:  
Poison Control Center  
1-888-516-2502

For additional product information, access our website at [www.elmers.com](http://www.elmers.com) or call 1-888-435-6377. To place an order, call 1-800-848-9400.

#### Trade Names/Synonyms

E9010; E9011; E9012; E9013; E9014; E9015; E9016; E9017; E9020; E9021; E9022

#### Product Use

building/construction product

### \*\*\* Section 2 - HAZARDS IDENTIFICATION\*\*\*

**NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0**

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

#### EMERGENCY OVERVIEW

**Color:** various colors

**Physical Form:** paste

**Odor:** mild odor

**Major Health Hazards:** No significant target effects reported.

#### POTENTIAL HEALTH EFFECTS

##### Inhalation

**Short Term:** irritation

**Long Term:** no information is available

##### Skin

**Short Term:** no information is available

**Long Term:** no information is available

##### Eye

**Short Term:** irritation

**Long Term:** no information is available

##### Ingestion

**Short Term:** no information is available

**Long Term:** no information is available

#### Regulatory Status

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### \*\*\* Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS\*\*\*

CAS	Component	Percent
Not Available	NON-HAZARDOUS SUBSTANCE	100

# Material Safety Data Sheet

Material Name: Elmer's Carpenter's Wood Filler-MAX

MSDS ID: ELM-076

## \*\*\* Section 4 - FIRST AID MEASURES\*\*\*

### Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

### Skin

Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed. Thoroughly clean and dry contaminated clothing and shoes before reuse.

### Eyes

Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

### Ingestion

If swallowed, get medical attention.

## \*\*\* Section 5 - FIRE FIGHTING MEASURES\*\*\*

See Section 9 for Flammability Properties

### Flammable Properties

Slight fire hazard.

### Extinguishing Media

carbon dioxide, regular dry chemical, regular foam, water

### Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

### Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

### Hazardous Combustion Products

**Combustion:** oxides of carbon

## \*\*\* Section 6 - ACCIDENTAL RELEASE MEASURES\*\*\*

### Occupational spill/release

Stop leak if possible without personal risk. Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

## \*\*\* Section 7 - HANDLING AND STORAGE\*\*\*

### Handling Procedures

Wash thoroughly after handling.

### Storage Procedures

Store and handle in accordance with all current regulations and standards. Protect from freezing. Keep separated from incompatible substances.

## \*\*\* Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION\*\*\*

### Component Exposure Limits

ACGIH, NIOSH, OSHA, and AIHA have not developed exposure limits for any of this product's components.

### Ventilation

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

### PERSONAL PROTECTIVE EQUIPMENT

#### Eyes/Face

Wear splash resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

#### Protective Clothing

Wear appropriate chemical resistant clothing.

#### Glove Recommendations

Wear appropriate chemical resistant gloves.

#### Respiratory Protection

Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory protection is ranked in order from minimum to maximum.

# Material Safety Data Sheet

Material Name: Elmer's Carpenter's Wood Filler-MAX

MSDS ID: ELM-076

Consider warning properties before use.

Any chemical cartridge respirator with organic vapor cartridge(s).

Any chemical cartridge respirator with a full facepiece and organic vapor cartridge(s).

Any air-purifying respirator with a full facepiece and an organic vapor canister.

**For Unknown Concentrations or Immediately Dangerous to Life or Health -**

Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode.

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

## \*\*\* Section 9 - PHYSICAL AND CHEMICAL PROPERTIES\*\*\*

<b>Physical State:</b>	Liquid	<b>Appearance:</b>	paste
<b>Color:</b>	various colors	<b>Physical Form:</b>	paste
<b>Odor:</b>	mild odor	<b>Odor Threshold:</b>	Not available
<b>pH:</b>	8.3 - 8.8	<b>Melting/Freezing Point:</b>	0 °C
<b>Boiling Point:</b>	100 °C	<b>Flash Point:</b>	No data available
<b>Evaporation Rate:</b>	<1 (butyl acetate=1)	<b>Vapor Pressure:</b>	17 mmHg @20 °C
<b>Vapor Density (air = 1):</b>	<1	<b>Density:</b>	Not available
<b>Specific Gravity (water = 1):</b>	Not available	<b>Water Solubility:</b>	disperses
<b>Coeff. Water/Oil Dist:</b>	Not available	<b>Viscosity:</b>	Not available
<b>Percent Solids:</b>	77 - 78 %	<b>Volatility:</b>	Not available

## \*\*\* Section 10 - STABILITY AND REACTIVITY\*\*\*

### Chemical Stability

Stable at normal temperatures and pressure.

### Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

### Materials to Avoid

oxidizing materials

### Hazardous Decomposition

**Combustion:** oxides of carbon

### Possibility of Hazardous Reactions

Will not polymerize.

## \*\*\* Section 11 - TOXICOLOGICAL INFORMATION\*\*\*

### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

### RTECS Acute Toxicity (selected)

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

### Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, OSHA, or NTP.

### RTECS Irritation

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

### Tumorigenic

No data available.

### Mutagenic

No data available.

### Reproductive Effects

No data available.

# Material Safety Data Sheet

Material Name: Elmer's Carpenter's Wood Filler-MAX

MSDS ID: ELM-076

## \*\*\* Section 12 - ECOLOGICAL INFORMATION\*\*\*

### Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

## \*\*\* Section 13 - DISPOSAL CONSIDERATIONS\*\*\*

### Disposal Methods

Dispose in accordance with all applicable regulations.

### Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

## \*\*\* Section 14 - TRANSPORT INFORMATION\*\*\*

### US DOT Information

No Classification assigned.

### TDG Information

No Classification assigned.

## \*\*\* Section 15 - REGULATORY INFORMATION\*\*\*

### U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

### SARA 311/312

**Acute Health:** No **Chronic Health:** No **Fire:** No **Pressure:** No **Reactive:** No

### U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

Not regulated under California Proposition 65

### U.S. Inventory (TSCA)

All the components of this substance are listed on or are exempt from the inventory.

### Component Analysis - Inventory

No information available

## \*\*\* Section 16 - OTHER INFORMATION\*\*\*

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States

### Other Information

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE, except that the product shall conform to contracted specifications, and that the product does not

## Material Safety Data Sheet

**Material Name: Elmer's Carpenter's Wood Filler-MAX**

**MSDS ID: ELM-076**

infringe any valid United States or Canadian patent. No claim of any kind shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.

**New MSDS: 1/16/2012**

End of Sheet ELM-076